

# SAFETY DATA SHEET

# Jangro - KITCHEN DEGREASER HEAVY DUTY rtu

Jangro - KITCHEN DEGREASER HEAVY DUTY rtu		
SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Jangro - KITCHEN DEGREASER HEAVY DUTY rtu	
Product number	A129 JA	
Internal identification	BB015-75	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Heavy Duty, Alkaline Liquid Hard Surface Cleaner.	
1.3. Details of the supplier of the safety data sheet		
Supplier	Jangro Limited Jangro House Worsley Road Farnworth Bolton. UK BL4 9LU Tel: 0845 458 5223 Fax: 01204 579 499 centraloffice@jangrohq.net	
1.4. Emergency telephone number		
Emergency telephone	01772 318 818 - 8.30am to 4.45pm - Mon to Fri	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
<b>Classification</b>		
Physical hazards		
Not Classified		
Health hazards		
Not Classified		
Environmental hazards Not Classified		
Classification (67/548/EEC or 1999/45/EC)		
2.2. Label elements		
Hazard statements		
	NC Not Classified	
Precautionary statements		
	P102 Keep out of reach of children.	
	P301 IF SWALLOWED:	
	P313 Get medical advice/attention.	
	P501 Dispose of contents/container in accordance with local regulations.	
2.3. Other hazards		

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients 3.2. Mixtures 0.1-1% SODIUM DODECYL BENZENE SULPHONATE CAS number: 68411-30-3 EC number: 270-115-0 Classification Classification (67/548/EEC or 1999/45/EC) Acute Tox. 4 - H302 Xn;R22. Xi;R36/38. Skin Irrit. 2 - H315 Eye Dam. 1 - H318 0.1-1% SODIUM METASILICATE CAS number: - EC number: -Classification Classification (67/548/EEC or 1999/45/EC) C;R34. Xi;R36/38. Skin Corr. 1B - H314 Eye Dam. 1 - H318 0.1-1% 2-BUTOXYETHANOL CAS number: 111-76-2 EC number: 203-905-0 Classification Classification (67/548/EEC or 1999/45/EC) Acute Tox. 4 - H302 Xn;R20/21/22 Xi;R36/38 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 0.1-1% SODIUM CUMENE SULPHONATE CAS number: 32073-22-6 EC number: 250-913-5 Classification Classification (67/548/EEC or 1999/45/EC) Eye Irrit. 2 - H319 Xi;R36. <0.1% SODIUM HYDROXIDE CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-2119457892-27-xxxx Classification Classification (67/548/EEC or 1999/45/EC) Met. Corr. 1 - H290 C;R35 Skin Corr. 1A - H314 The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16. Composition comments The ingredients are present in non-hazardous concentrations.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### Inhalation

Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

## Ingestion

Do not induce vomiting. Give plenty of water to drink. Get medical attention if any discomfort continues.

### Skin contact

Wash with plenty of water.

## Eye contact

Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.

# 4.2. Most important symptoms and effects, both acute and delayed

### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

### Inhalation

No specific symptoms known.

### Ingestion

No specific symptoms known. But - May cause discomfort if swallowed.

### Skin contact

No specific symptoms known. But prolonged or excessively repeated skin contact could lead to removal of natural oils from skin.

### Eye contact

No specific symptoms known. Prolonged contact may cause redness and/or tearing.

### 4.3. Indication of any immediate medical attention and special treatment needed

### Notes for the doctor

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

# Specific hazards

Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

# 5.3. Advice for firefighters

# Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

### Personal precautions

No special protective clothing. (See Sec 8)

## 6.2. Environmental precautions

### **Environmental precautions**

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

### Methods for cleaning up

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

# Reference to other sections

For personal protection, see Section 8.

### SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Usage precautions

No specific recommendations.

# 7.2. Conditions for safe storage, including any incompatibilities

## Storage precautions

Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.

### 7.3. Specific end use(s)

# Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### Usage description

See Product Information Sheet & Label for detailed use of this product.

# SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

## Occupational exposure limits

### 2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m3 Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m3 Sk

### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m3

WEL = Workplace Exposure Limit

Sk = Can be absorbed through skin.

### 8.2. Exposure controls

### Appropriate engineering controls

Not relevant.

Eye/face protection None required.

nono roquirou.

# Hand protection

No specific hand protection noted, but protection for the skin is advisable to prevent removal of natural oils from skin.

### Other skin and body protection

None required.

Respiratory protection Respiratory protection not required.

# SECTION 9: Physical and Chemical Properties

## 9.1. Information on basic physical and chemical properties

### Appearance

Liquid.

Colour

Clear. Colourless.

### Odour

Faint Solvent.

# pН

pH (concentrated solution): 12.0

# Melting point

-2°C

# Initial boiling point and range

102°C @ 760 mm Hg

Flash point

Boils without flashing.

Relative density

1.003 @ 20°C

### Solubility(ies)

Soluble in water.

# 9.2. Other information

Other information

None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactions with the following materials may generate heat: Strong acids.

### 10.2. Chemical stability

### Stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

See sections 10.1,10.4 & 10.5

### 10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

### 10.5. Incompatible materials

### Materials to avoid

Strong acids. Aluminium, Tin, Zinc and their alloys.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### **Toxicological effects**

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

### Other health effects

Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

### SECTION 12: Ecological Information

## Ecotoxicity

Not regarded as dangerous for the environment.

# 12.1. Toxicity

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

### 12.2. Persistence and degradability

# Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

# 12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

Mobility

Not known.

# 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

Not known.

### SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

### Disposal methods

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Consign empty container to normal waste.

# SECTION 14: Transport information

General

Not classified for Transport.

14.1. UN number

UN No. (ICAO)

14.2. UN proper shipping name

14.3. Transport hazard class(es)

ADR/RID label

ICAO class/division

ICAO subsidiary risk

14.4. Packing group

ADR/RID packing group

ICAO packing group

14.5. Environmental hazards

14.6. Special precautions for user

EmS

Emergency Action Code

Hazard Identification Number (ADR/RID)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU legislation

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC - classification, packaging & labelling of dangerous substances & GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

# Guidance

Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

# Jangro - KITCHEN DEGREASER HEAVY DUTY rtu

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

## **SECTION 16: Other information**

### Key literature references and sources for data

Material Safety Data Sheet, Misc. manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. CHIP Class - Table 3.2 The list of harmonised classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC. ECHA - C&L Inventory database.

Revision comments		
SDS re-issued after a 3 year old SDS Review.		
Revision date	01/10/2015	
Revision	Issue 5	
SDS status	The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see Section 2.	
Risk phrases in full		
	NC Not classified.	
	R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.	
	R35 Causes severe burns.	
	R36/38 Irritating to eyes and skin.	
Hazard statements in full		
	H302 Harmful if swallowed.	
	H312 Harmful in contact with skin.	
	H314 Causes severe skin burns and eye damage.	
	H315 Causes skin irritation.	
	H318 Causes serious eye damage.	
	H319 Causes serious eye irritation.	
	H332 Harmful if inhaled.	