



COSHH Risk Assessment

JANGRO GRAFFITI REMOVER

Product Code: BG065



PROCESS STAGE	POTENTIAL RISK	CONTROL MEASURES	ACTION REQUIRED
DELIVERY			
Packaged in 12 x 400 ml metal, aerosol, pressurised, canister sprays. Delivered in single units if required.	Risk of injury to user if dropped.	Take care not to drop the containers. Ensure that the covering cap is secure at all times.	Transfer containers to store immediately following delivery. Do not leave containers in areas where users of the building will come into contact with them.
STORAGE			
Containers must be stored in a cool, dry storage area away from sources of heat, including direct sunlight.	Extremely flammable. Pressurised canister – therefore there is a risk of explosion if involved in a fire or if punctured. If involved in a fire, carbon and nitrogen oxide gasses may be emitted. Caps are not child proof.	Keep containers in secure storage areas. Restrict access to storage areas to authorised personnel.	Make regular checks to ensure that storage area is clean and tidy. Make regular checks to ensure that canisters are sound and are not corroded.
USAGE			
Product is dispensed in a fine mist via a push top spray. Product is applied directly onto the surface to be treated from a distance of 10–30 cm.	Risk of eye contact. Risk of ingestion. Risk of skin contact. Risk of inhalation.	Handle the containers with care. Wear Personal Protective Equipment. Spray product away from the body and face at all times. Ensure that the container is returned to store when not in use. Ensure that the work area is well ventilated at all times. Never spray near sources of heat or incandescent material. Always read the manufacturer's instructions. Ensure that product is stored away from strong oxidising agents.	Provide employees with PPE as follows: <ul style="list-style-type: none"> • Protective overall • Chemical-resistant goggles • Chemical-resistant gloves Ensure that operatives are aware of location of First Aid facilities and personnel. Ensure that operatives are aware of all fire procedures.
DISPOSAL			
Empty canisters can be disposed of as normal waste. Recycle all containers wherever facilities are available.	Small risk of skin or eye contact. Small risk of inhalation and ingestion. Risk of contamination with other substances.	Ensure that the containers are exhausted prior to disposal. Do not puncture or incinerate even when empty. To dispose of residual stock, empty product via spraying outside in an open space.	Ensure that operatives wear Personal Protective Equipment when disposing of residual stock.

Name of Assessor:

Signed:

Print:

Position:

Date of Assessment:

Review Date:

N.B. This risk assessment is offered as guidance only. It is your responsibility to ensure that it reflects the use of the product in your operation and amend accordingly.